


NEW: Activa One 570 HS

In the new Activa One 570 HS, a classic rear seating group floor plan merges with the top cab series, reinforcing the traditional advantages of this room division concept even further with some new ideas. A separate 140-litre room-high refrigerator is positioned opposite the kitchen instead of a 105-litre model under the kitchen block. This not only creates more refrigerator volume, but also more storage space in the kitchen's base unit.

The floor plan develops its special appeal from the combination of handy dimensions on the one hand and high freedom of movement in the interior on the other. The space required for this is made possible by the new, only 114 cm long compact washroom with swivel wash basin. With 140 cm wide longitudinal seats, the comfortable rear seating group has particularly large storage space in the 37 cm high double floor. With the belt frame anchored in aluminium profiles on the inner walls, the large storage space under the benches remains unchanged even when the third and fourth belt slots are installed. Three large storage space flaps give passengers optimum access to their luggage from either side at all times.



Technical data

ModelDuc.3,5 toEngine, standard2,3 ltr.Power output,96 kW / 130 HPEngine, optional extra2,3 ltr.r.Power output, optional extra109 kW / 150 HP, 130 kW / 180 HP

| - | |
|---|-----------------------------|
| Tech. admissible gross laden weight | 3500 / 4250 kg |
| Weight, ready for road | 2800 kg |
| Gross weight limit | 5500 / 6050 kg |
| Trailer load, braked | 2000 / 1800 kg |
| Axle load limit, rear | 2000 / 2400 kg |
| Overall length | 5990 |
| Overall width | 2322 |
| Overall height incl. skylight | 3130 |
| Internal width | 2174 |
| Standing height | 1975 |
| Double floor height | 370 |
| Wheelbase | 3450 |
| Tyres | 215/70 R15C (225/75 R16C) |
| Seating unit, front | - |
| Seating unit bed conversion | 2000 x 1400 |
| Rear bed | - |
| Dimensions of drop-down bed | 2000 x 1500 |
| Front bed/lift-up bed | - |
| Extension to X beds | 4 |
| Occupant limit (with lap/shoulder seat belts) | 4 |
| Additional seats (X persons) | 4 |
| Wall thickness | 30 |
| Roof thickness | 30 |
| Floor thickness | 38 |
| Flap size (W x H), front right | 850 x 1050 |
| Flap size, standard (W x H), front left | 850 x 1050 |
| Flap size, optional (W x H) front left | - |
| Fresh water capacity | 140 ltr. |
| Fresh water capacity when vehicle is driven | 25 ltr. |
| Waste water tank | 100 ltr. |
| Gas holder box | 2 x 11 kg |
| Battery capacity | 1 x 80 Ah Gel |
| Basic vehicle | Fiat |
| Special equipment | |
| - L | |

Equipment packages

Comfort Pack (Driver's cab air conditioning system, electric external mirrors, cruise control, "Captain'schair" seat with double arm rests and head rest for the driver and passenger, moniceiver with rear-view camera, DAB+, tyre air pressure osensors, carpet in the driver's cab)

| Touring Pack AONE 550/570 (Heki skylight roof hood, mesh screen for cabin door, dimming system for the driver's cab (windscreen and sidewindows), background lighting) Prestige Pack (Comfort Package, automatic climate control, steering wheel with control elements, steering wheel and gearshift knob in leather finish, moniceiver with navigation & rear-view camera system (twin-eye)) | 0 |
|--|---|
| Decoration Pack Engine | 0 |
| 130 HP FIAT engine | S |
| 150 HP FIAT engine (surcharge on 130 HP engine) | 0 |
| 180 HP FIAT engine (surcharge on 130 HP engine) | 0 |
| Increased load limit | U |
| Increase of total mass when loaded to 3,85 t | 0 |
| Incr. of total mass w. loaded to 4,5 t (w. 2358 front susp.) | 0 |
| Off-load from 4t to 3500 Kg (depending on model) | 0 |
| Incr. of total mass w. loaded to 4,0 t | 0 |
| Chassis Maxi instead of 35 L / 4,25t (additional charge) | 0 |
| Chassis Maxi instead of 3,5t / 4,4t (additional charge) | 0 |
| Reinforced front suspensions | 0 |
| Other options | |
| Automatic gearbox | 0 |
| Spare wheel (depending on model) | 0 |
| Fuel tank 120 I | 0 |
| Möbel | |
| Furniture Design "Arizona ash tree" | S |
| Exterior | |
| Over Cab window - left | S |
| Trailer Coupling FIAT | 0 |
| Living area door with central locking system | 0 |
| Outside lighting | S |
| Outside shower (cold/hot) driver side | 0 |
| Roof canopy HEKI | 0 |
| Rear corner steadies | 0 |
| Sun Roof - Panorama glass roof, insulated | 0 |
| Rear service door | 0 |
| Interior | _ |
| Dashboard panel with Root wood effect - Fiat | 0 |
| Individual seat | 0 |
| Fly screen for body door | 0 |
| Safety belts and comfort headrests in driv. dir. in U-lounge | S |
| Insulating thermo-curtain to the cabin | 0 |
| Insulation curtain (with floor insulation) | 0 |

| Cabin blinds (wind screen and side windows) | 0 |
|--|---|
| Additional bed (dinette into sleeping place) for 2 persons | S |
| Bicycle carrier | |
| Bicycle rack for 2 bikes (max 30 kg) | 0 |
| Bicycle rack - expanding kit from 2 to 4 bikes (max 60kg) | 0 |
| Sunblinds | |
| Awning 3,5 m - mechanical | 0 |
| Heating | |
| Warm-air heater | S |
| Heating system Combi 6 EH (surcharge Combi 4) | 0 |
| Technical services | |
| Ambiance lighting | 0 |
| Roof air conditionner 230 Volt | 0 |
| Duo Control CS with EisEx | 0 |
| Gas socket - co-driver side | 0 |
| Solar panels (2 x 100 watt) | 0 |
| Toilet ventilation (SOG system) | 0 |
| Precabling for solar panels | 0 |
| Heat exchanger | 0 |
| Second 80 Ah Gel battery | 0 |
| Kitchen | |
| Oven (depending on floorplan), only with large fridge | 0 |
| Extractor hood | 0 |
| Large fridge | S |
| Fabrics | |
| Upholstery "Borneo" | S |
| Upholstery "Dara" | 0 |
| Upholstery "Sofia" | 0 |
| Multimedia | |
| Loudspeaker (2) in the living space | 0 |
| SAT aerial - fully automatic w. wall mount bracket for TV ft | 0 |
| Wall mount bracket for flat screen, back | 0 |
| TFT screen 19" back | 0 |
| Additional optional extras | |
| Cabin seats with living area fabric | 0 |
| Decoration "Maka" | S |
| Carpet in living area | 0 |
| S = Standard O = Option (special equipment) | |