

## ADVANTAGE (Low Profile/ A Class)

### Standard specification

#### Chassis / Base vehicle

- New Fiat Ducato Facelift with Common-Rail-Turbo diesel technology, MultiJet direct injection and Euro 5+ engine
- Front wheel drive
- ABS/ EBD, ESP, ASR
- Hill Holder, Hill Descent Control
- Broad gauge chassis rear axle
- Chassis with stronger suspension springs
- Disc brakes
- Large fuel tank (90l)
- Interruption of fuel supply and retraction of steering column (in case of a collision)
- Wider tyres, anti-theft device and revolution counter
- Panoramic safety glass windscreen
- Central locking cab (Low Profile)
- Day-time-running lights
- Electrical window lift
- Break-down kit

#### Conversion

- **Dethleffs Lifetime Plus Technology Resistant to rot and long-life conversion concept**
- GRP roof (glass fibre reinforced plastic) for optimal protection
- Thickness for floor: 49mm; sidewall: 34mm; roof: 35mm
- Smooth sides in Aluminium White
- Rear moulding with modern Dethleffs optic and 3rd brake light
- Rear garage with drop chassis extension and fixing loops
- Access locker doors with catch locks
- Opening insulating windows with blinds and flyscreens
- Mini Heki with blind and flyscreen
- Electrical entrance step
- Extra wide living door (70cm) with interior trim and integrated flyscreen door
- Modern entrance aid handle
- High-quality Pilote seats with height/ inclination adjustment, double armrest and comfortable seating position
- Height-adjustment for headrests for seating lounge in car optic
- Pull-down bed (A Class)
- Mud flaps rear
- Repair-friendly, one-piece A Class front

#### On-board technology / Installations

- Gas bottle locker with easy pull-out function for quick change of the gas bottles (2x11 kg)
- Powerful 95 Ah AGM leisure battery
- Starter and leisure battery with automatic switch-over (also for fridge)
- Electrical charging device for leisure and starter batteries 12V/ 18A
- CEE 230V external socket with safety device
- 2 USB sockets (seating lounge, sleeping room)
- Powerful submerged water pump
- Warm water supply with mixer tap
- LED illumination for the interior
- Illuminated plinth over the door
- Awning light
- ELCB (earth leakage circuit breaker)

#### Kitchen

- Dethleffs Gourmet kitchen centre with variable 3-split glass lid over the cooker, 3-burner hob cooker with electrical ignition and clever drawers with integrated working surface enlargement
- Sink and hob in stainless steel
- Large fridge with separated freezer compartment and auto energy selection (AES)
- Spacious drawers with high-quality smooth steel runners and self-closing function
- LED kitchen illumination
- Height-adjustable racks for kitchen overhead lockers

#### Bathroom

- Rotating bathroom for optimal use of space (depending on layout)
- Cassette toilet with swivel seat or a fixed toilet (depending on layout). Each with electronic flush.
- High-gloss wash bowl with frame in dark Marble optic
- All of our bathrooms are equipped with cabinets, storage compartments, hooks, large mirrors, halogen illumination and a height-adjustable shower head (depending on layout)
- Bathroom doors in very robust finish with homelike door handle (T/I 7051)
- Intelligent washroom concept with 3-D bathroom (depending on layout)
- LED illumination for the bathroom

#### Living area

- New, innovative light-weight furniture technology with pleasant shapes and bi-colour décor elements

- New space saving overhead locker concept with installation channel and indirect illumination
- Fixed beds with wooden bed frame and cold foam mattress
- Single beds with adjustable head section
- AirPlus ventilation system – for an optimised ventilation of the interior to reduce condensation
- Wardrobe N/S and O/S next to the Kingsize bed
- Seating lounge with shapely cushions; 125 cm long at least (not for T/I 5901)

#### Interior

Wood décor: Noce Solista

Soft furnishing design:


CHEVRON or BAKU

#### Standard UK specification which is above standard European specification

- Right hand drive chassis
- 2.3 MultiJet 96 (130 BHP)
- Cab air conditioning
- Cruise control
- Electrical and heated mirrors
- Driver and passenger airbags
- Radio pre-wiring with Sound package
- Wheel trims
- 2nd access locker door
- Cab door N/S for A Class
- Cab blinds Remis
- Habitation door with window
- Midi Heki/ Heki III
- Window in T-hood
- On-board control panel "Luxus"
- Indirect illumination
- Full UK specification incl. UK gas and UK electrics
- TV bracket
- TRUMA Combi 6 E gas heating with integrated 10 l boiler
- Smoke detector
- Oven with grill
- Seating lounge convert to bed
- L-shaped lounge with free-standing table
- Low-level bed
- Bed convert single beds to double bed
- Carpets for the cab and for the living room

Please note: From technical point of view there are components which are not possible for some of model types and layouts.


## Low Profile



ADVANTAGE		T 5901	T 6601	T 6611	T 6671	T 7051 DBM	T 7051 EB
Length	cm	640	695	695	695	740	740
Width	cm	233	233	233	233	233	233
Height	cm	276	276	276	276	276	276
Internal height	cm	198	198	198	198	198	198
Towing weight 12 % braked/unbraked	kg	2000/750	2000/750	2000/750	2000/750	2000/750	2000/750
Tyres		215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C
Wheel base	cm	380	380	380	380	404	404
Beds	Pull-down bed	cm	-	-	-	-	-
	Mid	cm	170x100/75	210x120/70	175x100/75	210x120/70	210x120/55
	Alternative	cm	-	-	200/160x210	-	210/175x210
	Rear	cm	200x130/95	200x140/125	210x80/200x80	210x150	200x150/105
Basic engine		2.3 MJET	2.3 MJET	2.3 MJET	2.3 MJET	2.3 MJET	2.3 MJET
kW (BHP)		96 (130)	96 (130)	96 (130)	96 (130)	96 (130)	96 (130)
Chassis		Low platform	Low platform	Low platform	Low platform	Low platform	Low platform
Weight net	kg	2597	2644	2656	2644	2764	2850
Mass in running order (MIRO)	kg	2792	2839	2851	2839	2959	2968
Payload	kg	707	660	648	660	540	531
Maximum authorised weight	kg	3499	3499	3499	3499	3499	3499
Designated passenger seats (for standard total mass)*		4	4 (5)	4	4 (5)	4	4
Designated passenger seats (max. weight upgrade)*		4	5	4	5	4	4
Heating		Combi 6 E	Combi 6	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
Fridge/thereof freezer compartment	l	142/15	142/15	142/15	142/15	142/15	142/15
Water tank incl. boiler (red. volume)	l	125 (20)	125 (20)	125 (20)	125 (20)	125 (20)	125 (20)
Waste water tank capacities	l	90	90	90	90	90	90
Storage space		B 2	B 2	D 2	C 2	F 2	D 2
Standard swivel seat for driver and passenger		Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Battery/charger	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230 V/12 V	6/3	6/3	6/3	7/3	6/3	6/3

\* only in conj. with optional 5th seat

## A Class



ADVANTAGE		I 5901	I 6601	I 6611	I 6671	I 7051 DBM	I 7051 EB	
Length	cm	637	692	692	692	737	737	
Width	cm	233	233	233	233	233	233	
Height	cm	276	276	276	276	276	276	
Internal height	cm	198	198	198	198	198	198	
Towing weight 12 % braked/unbraked	kg	2000/750	2000/750	2000/750	2000/750	2000/750	2000/750	
Tyres		215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C	
Wheel base	cm	380	380	380	380	404	404	
Beds	Pull-down bed	cm	195x150/135	195x150/135	195x150/135	195x150/135	195x150/135	
	Mid	cm	–	–	–	–	–	
	Alternative	cm	–	–	200/160x210	–	–	210/175x210
	Rear	cm	200x130/95	200x140/125	210x80/200x80	210x150	200x150/105	2x (210x80)
Basic engine		2.3 MJET	2.3 MJET	2.3 MJET	2.3 MJET	2.3 MJET	2.3 MJET	
kW (BHP)		96 (130)	96 (130)	96 (130)	96 (130)	96 (130)	96 (130)	
Chassis		Low platform	Low platform	Low platform	Low platform	Low platform	Low platform	
Weight net	kg	2749	2799	2808	2799	2859	2868	
Mass in running order (MIRO)	kg	2944	2994	3003	2994	3054	3063	
Payload	kg	906	856	847	856	796	787	
Maximum authorised weight	kg	3850	3850	3850	3850	3850	3850	
Designated passenger seats (for standard total mass)		4	4 (5)	4	4 (5)	4	4	
Designated passenger seats (max. weight upgrade)		4	5	4	5	4	4	
Heating		Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E	
Fridge/thereof freezer compartment	l	142/15	142/15	142/15	142/15	142/15	142/15	
Water tank incl. boiler (red. volume)	l	125 (20)	125 (20)	125 (20)	125 (20)	125 (20)	125 (20)	
Waste water tank capacities	l	90	90	90	90	90	90	
Storage space		B 2	B 2	D 2	C 2	F 2	D 2	
Standard swivel seat for driver and passenger		Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	
Battery/charger	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	
Power outlets	230 V/12 V	6/3	6/3	6/3	7/3	6/3	6/3	

## The Dethleffs world of colours

For ADVANTAGE range you can choose from the following colour combinations (some for extra charge):

### Low Profile

Chassis colour		Conversion colour	
White	Code	White standard	Titansilver Metallic 5338

### A Class

Chassis colour		Conversion colour	
	Code	White standard	Titansilver Metallic 1665

Please note that the skirts as well as the roof always remain white. Conversion design partly with varnished graphics.

## Optional Extras ADVANTAGE

	Weight (kg)	Code	Low Profile	A Class
<b>Chassis/ Base vehicle</b>				
Fiat Ducato MultiJet 150 Light (2.3 l / 148 BHP) - (depending on layout)	15	-	○	○
Fiat Ducato MultiJet 180 Light (3.0 l / 177 BHP) - (depending on layout)	65	-	○	○
Fiat Ducato MultiJet 130 Maxi (2.3 l / 130 BHP) - (depending on layout), max.authorised weight 4250 kg	65	-	○	○
Fiat Ducato MultiJet 150 Maxi (2.3 l / 148 BHP) - (depending on layout),max.authorised weight 4250 kg	65	-	○	○
Fiat Ducato MultiJet 180 Maxi (3.0 l / 177 BHP) - (depending on layout), max.authorised weight 4250 kg	115	-	○	○
Weight upgrade to 3850 kg Fiat (Ducato Light)	-	808	○	-
Weight upgrade to 4250 kg Fiat (only in conj. with Ducato Maxi)	-	1633	○	○
Alloy wheels 15" anthracite-silver polished	-	7483	○	○
Tow bar	35	273	○	○
Automated gearbox (6 gears)	17	011	○	○
Cab dash in silver/black line optics	1	1881	○	○
Cab insulating mat large	13	427	○	○
Can insulating mats for windscreen and side windows	9	934	○	○
Motorbike rack - depending on layout (cannot be used together with tow bar, for some layouts only available with weight upgrade)	50	274	○	○
Bi-Xenon headlights	2	507	-	○
Seat heating and lumbar support/ pump for Pilote seat	2	6461/1659	○	○
5th seat (only for T/I 6601, T/I 6671)	11	435	○	○
Mud flaps front	2	298	○	○
Mud flaps rear	2	880	○	○
Rear corner steadies (2 pieces)	6	390	○	○
Reinforced spring for front axle	-	1889	-	○
<b>Exterior</b>				
Midi Heki over pull-down bed (only in conj. with pull-down bed)	8	246	-	○
Bicycle rack for 3 cycles (rear installation)	8.7	938	○	○
Bicycle rack for 4 cycles (rear installation)	10.2	815	○	○
Bicycle rack lowerable for GRP rear	10	7482	○	○
Flush fitting windows	5	415	○	○
Additional window in bathroom (depending on layout)	5	372	○	○
Fresh and waste water hoses insulated (warm air ventilation)	2	702	○	○
Awning (different lengths available). Your local dealer will assist you with more information.	upon request	1646	○	○
<b>Interior</b>				
Floor compartment	3.5	1985	○	○
Installation of safe	12.5	323	○	○
<b>Furniture/ Layouts</b>				
Electrical operation for pull-down bed	5	1683	-	○
High-level bed for large garage 115 cm (for T/I 6611 and 7051 EB)	5	652	○	○
Mid-level bed for medium sized garage 95 cm (for T/I 6611)	5	7757	○	○
<b>Soft furnishing</b>				
Cuddle package (bedspread, cuddle blanket, 2 pillows, table cloth)	3	1590	○	○
7-zones Premium cold foam mattress with visco elastic surface for double bed	5	1949	○	○
7-zones Premium cold foam mattress with visco elastic surface for single beds	5	1947/1948	○	○
Fabric covered wardrobe (for only T/I 6611, T/I 7051 EB)	2	1975	○	○

	Weight (kg)	Code	Low Profile	A Class
<b>Electrics/ Installation</b>				
2nd leisure battery 95 Ah	27	830	○	○
Solar system ( 2 Siemens M50 modules, 1 controller SR 13, 2x60W)	15	922	○	○
<b>Gas installation</b>				
Crash sensor for gas system	-	1902	○	○
Exterior socket for gas (30 mbar)	1	878	○	○
Switch over system Duo Control CS	13	1577	○	○
<b>Water supply/ Installation</b>				
Insulated waste water tank	2.5	665	○	○
Exterior shower (cold water)	1	793	○	○
Pressure water pump SF 126 PRO (Shurflo pump)	2	736	○	○
Switch for water pump	1	397	○	○
<b>Heating/ Air conditioning</b>				
Heating: heat exchanger Sirocco Arizona 400	3	472	○	○
Heating: Webasto additional heating	7	517	○	○
Heating: ALDE warm water	30-50	761	○	○
ALDE warm water heating for cab (only in conj. with ALDE heating - not in conj. with cab carpets)	10	6709	○	○
Electrical heating for waste water tank	2	642	○	○
Additional pump 230 V for ALDE heating	1	314	○	○
ALDE heat exchanger	7	565	○	○
ALDE warm water floor heating (only with ALDE heating, no Multiflex floor possible)	10	1603	○	○
Floor heating (electrical)	9	763	○	○
Air conditioning Telair Silent 7300H-230 V (Please consider other roof equipment)	34	609	○	○
<b>Kitchen</b>				
Fridge vent	1	282	○	○
Extractor fan (circulating air)	2	344	○	○
<b>Bathroom</b>				
Shower wooden grid (standard for T/I 7051)	1.5	1657	○	○
<b>Multimedia systems</b>				
Flatscreen 19"	3	1896	○	○
Pre-wiring (navigation to TV cabinet)	2	1945	○	○
Pre-wiring reversing cam	2	277	○	○
Jehnert Sound pack Plus	upon request	upon request	○	○
DVD radio Moniceiver	3	1644	○	○
RDS/ CD Pioneer	2	1639	○	○
SAT system Flatsat Easy Classic 65	13	1741	○	○
SAT system Flatsat Easy Classic 65 Twin	13	7670	○	○
SAT system Flatsat Easy 85	21	7671	○	○
SAT system Flatsat Easy 85 Twin	15	1637	○	○
Navigation module Caratec (only in conj. with Moniceiver)	2	1643	○	○
Top View 360°	6	7173	○	○
Reversing cam CARATEC available in many different variants. Your local dealer will assist you with more information.	upon request	upon request	○	○
<b>Misc</b>				
Fire extinguisher 2 kg	3.5	1878	○	○
Registration documents	-	-	◆	◆